

# EXTASI AIR

EXTASI AIR is a revised version of an urban element that was originally designed in pink moulded concrete, using a new material. With a triangular volume, rounded edges and weight, this Air collection backless bench has been designed for use indoors or in private outdoor areas, alternatively recreating the atmosphere of indoor comfort.

Polyethylene HDPE |  165 cm |  36 kg |  6

Add-ons: LED

 Update 26.07.2024



Arriola&Fiol, Arquitectes 2013

**Escofet**  
by Molins<sup>®</sup>

## ORIGIN

Extasi appears to fill the need for a lightweight wide and light backless bench that can be combined with the rest of Air Collection, as well as its concrete version.

## RECYCLED AND RECYCLABLE

It is monomaterial and 100% recyclable. The option in black color is 100% recycled, and consequently it is an environmentally sustainable product.

## NON-POROUS

The peculiarity of non-porous HDPE material means that its surface is easy to wash with pressurised water and a degreasing detergent that contains surfactants. It is disinfected with a hydro-alcoholic solution.

## MATERIAL

Made with rotomolded HDPE polyethylene, it's available in a wide variety of colors. With a threaded inspection chamber cover permitting access to the interior.

## INSTALLATION

Can be installed on the paving, and anchored, if required, using a hidden and removable system.



# EXTASI AIR



EXTASI AIR



**Escofet**  
by Molins<sup>®</sup>

# EXTASI AIR



## 1. Backless bench

### Extasi Air

**Dimensions** 165 x 152 x 45 cm

**Weight** 36 kg

**Lighting** 5 LED profiles, 57 white colour t° 5000k  
Only in white

### 1.1 General features

**Material** Polyethylene HDPE **Fixing** Free-standing / Anchored

**Finish** Micro-textured **Performance** UV resistance and outdoors

**Flame retardant** Complies with the regulations euroclasses UNE-EN 13501-1:2019, classified as "E" in relation to its reaction to fire behavior.


### Colours



**RBN.** White



**RNG.** Black  
100% recycled



Color chart  
standard \*

\* Optional colour according to project


### 1.2 Installation system

#### Hoisting


(W=36 kg)

#### Installation

1. Indoor: free-standing
2. Outdoor: Hidden and Removable anchored: Screw the M6 screws into the bushing supplied. Place the bushing+screw kit in the existing holes in the bench. Screw in 3 M5 side fasteners until the M6 screw is tight. Rotate the bench, mark the position. Drill holes in pavement (Ø20), fill with resin or fat mortar and place the bench. Optionally, to gain weight, the customer can ballast it with sand.




- ① threaded inspection hatch
- ② service lead
- ③ screw M6
- ④ side fastener M5
- ⑤ threaded bushing pavement M6



## 1.3 Geometry

### Extasi Air



EXTASI AIR



## Warranty

The warranty for this product is 3 years, in accordance with European Union legislation.

The names, trademarks and industrial models of the products have been logged in the corresponding registers. The technical information provided by Escofet about its products can be modified without prior notice.

Escofet 1886 S.A  
Head office and production

Montserrat, 162  
E 08760 Martorell  
Barcelona - España  
T. 0034 937 737 150  
F. 0034 937 737 151

info@escofet.com  
www.escofet.com

**Escofet**  
by Molins<sup>®</sup>



GA-2005/0072



SST-0090/2010



ER-0403/2016

